



NOTES

1. TOLERANCE: (a) GENERAL ± 1 .
(b) HOLE CENTRES ± 0.5 .
2. DEBURR & REMOVE ALL SHARP EDGES & CORNERS.
3. ON DELIVERY ITEMS 2,3,4 & 5 TO BE ASSEMBLED TO ITEM 1 AS INDICATED & EACH ASSEMBLY TO BE PACKED INTO A SEPARATE PLASTIC BAG OR SHRINK PACK.
4. THE SUPPLY OF THE MOUNTING BRACKET SHALL BE IN ACCORDANCE WITH THE RELEVANT REQUIREMENTS OF SPEC VL/11.

DIMENSIONS IN MILLIMETRES



5	SPRING WASHER $\varnothing 10$	S.STEEL 316	NATURAL	1	TO AS 1968
4	FLAT WASHER $\varnothing 10$	S.STEEL 316	NATURAL	1	TO AS 1237
3	HEX NUT M10	S.STEEL 316	NATURAL	1	TO AS 1112
2	CUP HEAD SQUARE NECK BOLT M10 x 30	S.STEEL 316	BLACK	1	TO AS 1390
1	MOUNTING BRACKET	S.STEEL 316	NATURAL	1	

ITEM	DESCRIPTION	MATERIAL	FINISH	QTY	REMARKS
------	-------------	----------	--------	-----	---------

E ISSUE 06-06-94
JI TC2338. PLAN
REDRAWN ON CAD.
EB RVC BWT
F ISSUE 10-03-04
 $\varnothing 14$ HOLE DELETED.
ITEMS 1,2,3 AND 4
WERE MILD STEEL
GALV.
G.B. B.W.T.

REFERENCE DRAWINGS

TARGET BRD $\varnothing 200$	VM206-14
TARGET BRD $\varnothing 300$	VM206-21

SUPPLY CATALOGUE NO
70010160

ROADS AND TRAFFIC AUTHORITY OF NSW TRAFFIC SIGNALS		SCALE 1 : 2	APPROVED: 13-05-1983 F.R. HULSCHER SUPERVISING ENGINEER		
TARGET BOARD MOUNTING BRACKET FOR SIGNAL LANTERNS		SUPERSEDES: ISSUE E		ISSUE	
		DRAWN LG 03-03-83	F		
		CHECKED RB 07-03-83			
		PASSED BWT 13-03-83	VM206-13		