



# Register of Transport for NSW Asphalt Mixes

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b><u>Boral Asphalt NSW</u></b>								
<b>Alstonville</b>	AC 10MM AR450	N/A	XVP.244209	Y4041	R116 Ed 8 Rev 4	CONFORMING	06/10/2022	
	AC 10MM AR450	N/A	XVP.244209T	Y4142	R116 Ed 8 Rev 4	CONFORMING	03/05/2023	
	AC 14MM AR450	N/A	XVP.244239	Y4040	R116 Ed 8 Rev 4	CONFORMING	05/10/2022	
	AC 14MM AR450	N/A	XVP.244239T	Y4111	R116 Ed 8 Rev 4	CONFORMING	04/04/2023	
	AC 20MM AR450	N/A	XVP.244267	Y4039	R116 Ed 8 Rev 4	CONFORMING	04/10/2022	
	AC 20MM AR450	N/A	XVP.244267T	Y4112	R116 Ed 8 Rev 4	CONFORMING	04/04/2023	
	SMA 10MM A15E	N/A	XVP.244355	Y4128	R121 Ed 3 Rev 2	CONFORMING	27/04/2023	
<b>Bringelly</b>	AC 14MM A15E	1PW	X4P.248452	Y3896	R116 Ed 8 Rev 4	CONFORMING	05/06/2022	
	AC 20MM AR450	3	X4P.248871	Y3684	R116 Ed 8 Rev 4	CONFORMING	01/07/2021	
<b>Canberra</b>	AC 10MM AR450	1W	XUP.245060	Y4030	R116 Ed 8 Rev 4	CONFORMING	01/11/2022	
	AC 14MM A15E	1PW	XUP.244217	Y3892	R116 Ed 8 Rev 4	CONFORMING	26/04/2022	
	AC 14MM AR450	2W	XUP.244236	Y3864	R116 Ed 8 Rev 4	CONFORMING	12/01/2022	
	AC 20MM AR450	1	XUP.245067	Y4031	R116 Ed 8 Rev 4	CONFORMING	16/11/2022	
	RUB 14MM AR450	N/A	XUP.244242 BER	Y4048	R118 Ed 1 Rev 1	CONFORMING	29/11/2022	
<b>Canberra (27)</b>	AC 14MM AR450	1W	XUP.245063	Y4009	R116 Ed 8 Rev 4	CONFORMING	04/10/2022	
	AC 20MM AR450	N/A	XUP.244267	Y4013	R116 Ed 8 Rev 4	CONFORMING	31/10/2022	
<b>Carrington</b>	AC 10MM AR450	2W	XRP.248868	Y4000	R116 Ed 8 Rev 4	CONFORMING	19/07/2022	
	AC 14MM AR450	2	XRP.248867	Y3925	R116 Ed 8 Rev 4	CONFORMING	22/06/2022	
	AC 14MM A15E	N/A	XRP.247853	Y3879	R116 Ed 8 Rev 4	CONFORMING	05/01/2022	
	AC 14MM A15E	1W	XRP.244217	Y3878	R116 Ed 8 Rev 4	CONFORMING	04/08/2021	
	OG 10MM A15E	N/A	XRP.244346	Y4017	R119 Ed 1 Rev 2	CONFORMING	31/10/2022	
<b>Coffs Harbour</b>	SMA 10MM basalt		21-XCP.244355	Y4092	R121 Ed 3 Rev 2	CONFORMING	01/02/2023	
	SMA 10MM basalt		21-XCP.244355	Y4092	R121 Ed 3 Rev 2	CONFORMING	01/02/2023	
<b>Coffs Harbour (fixed)</b>	AC 10MM A15E	N/A	XCP.244197-JHQ	Y4069	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Coffs Harbour (fixed)</b>	AC	10MM AR450	N/A	XCP.244209	Y4070	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	10MM A15E	N/A	XCP.244197	Y3942	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	10MM AR450	N/A	XCP.244209	Y3941	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	14MM AR450	N/A	XCP.244239	Y4072	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	14MM AR450	N/A	XCP.244239	Y3938	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	14MM A15E	N/A	XCP.244222	Y3943	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	14MM AR450	N/A	XCP.244222	Y4071	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	20MM AR450	N/A	XCP.244267	Y3940	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	20MM AR450	N/A	XCP.244267	Y4073	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
<b>Dubbo</b>	AC	20MM AR450	N/A	XCP.244266	Y3998	R116 Ed 8 Rev 4	CONFORMING	30/08/2022	
	AC	10MM AR450	N/A	XDP.244209	Y4121	R116 Ed 8 Rev 4	CONFORMING	03/03/2023	
	AC	14MM AR450	N/A	XDP.244239	Y4122	R116 Ed 8 Rev 4	CONFORMING	14/03/2023	
	AC	14MM A15E	N/A	XDP.244222	Y4079	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC	20MM AR450	N/A	XDP.244267	Y4052	R116 Ed 8 Rev 4	CONFORMING	24/01/2023	
<b>Enfield</b>	AC	20MM AR450	N/A	XDP.244267	Y3386	R116 Ed 8 Rev 4	CONFORMING	17/05/2022	
	AC	10MM AR450	1W	XEP.244207	Y3792	R116 Ed 8 Rev 4	CONFORMING	25/10/2021	
	AC	10MM A15E	N/A	XEP.248449	Y3909	R116 Ed 8 Rev 4	CONFORMING	06/06/2022	
	AC	10MM A15E	1PW	XEP.244194	Y3893	R116 Ed 8 Rev 4	CONFORMING	17/04/2022	
	AC	10MM A15E	N/A	XEP.248448	Y3762	R116 Ed 8 Rev 4	CONFORMING	07/08/2021	
	AC	10MM AR450	N/A	XEP.244209	Y3851	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	AC	14MM AR450	N/A	XEP.244239	Y3796	R116 Ed 8 Rev 4	CONFORMING	08/11/2021	
	AC	14MM A35P	N/A	XEP.248464	Y4064	R116 Ed 8 Rev 4	CONFORMING	31/01/2023	
	AC	14MM AR450	1W	XEP.244235	Y3798	R116 Ed 8 Rev 4	CONFORMING	04/11/2021	
	AC	14MM A15E	1W	XEP.244217	Y3793	R116 Ed 8 Rev 4	CONFORMING	26/10/2021	
	AC	14MM AR450	2W	XEP.248867	Y3791	R116 Ed 8 Rev 4	CONFORMING	01/11/2021	
	AC	14MM A15E	1PW	XEP.254138	Y3911	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	
AC	14MM A15E	N/A	XEP.244226	Y3274	R116 Ed 8 Rev 4	CONFORMING	23/05/2022		
AC	14MM A15E	N/A	XEP.244222	Y3797	R116 Ed 8 Rev 4	CONFORMING	08/11/2021		

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Enfield</b>	AC	14MM A15E	N/A	XEP.248453	Y3275	R116 Ed 8 Rev 4	CONFORMING	08/05/2022	
	AC	14MM A15E	1PW	XEP.248452	Y3904	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	
	AC	14MM AR450	N/A	XEP.244237	Y3759	R116 Ed 8 Rev 4	CONFORMING	04/09/2021	
	AC	14MM A15E	N/A	XEP.247853	Y3790	R116 Ed 8 Rev 4	CONFORMING	31/10/2021	
	AC	20MM AR450	2	XEP.244265	Y3763	R116 Ed 8 Rev 4	CONFORMING	14/09/2021	
	AC	20MM AR450	1	XEP.244262	Y3819	R116 Ed 8 Rev 4	CONFORMING	23/11/2021	
	AC	20MM A35P	1	XEP.245071	Y4138	R116 Ed 8 Rev 4	CONFORMING	10/05/2023	
	AC	20MM AR450	N/A	XEP.244262	Y3807	R116 Ed 8 Rev 4	CONFORMING	23/11/2021	
	AC	20MM AR450	2	XEP.248459	Y3694	R116 Ed 8 Rev 4	CONFORMING	04/07/2021	
	AC	20MM A15E	1	XEP.249168	Y3706	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	
	AC	20MM AR450	N/A	XEP.244267	Y3818	R116 Ed 8 Rev 4	CONFORMING	16/11/2021	
	AC	20MM AR450	2	XEP.248871	Y3775	R116 Ed 8 Rev 4	CONFORMING	06/10/2021	
	AC	20MM AR450	2	XEP.248458	Y3794	R116 Ed 8 Rev 4	CONFORMING	26/10/2021	
	AC	28MM AR450	2	XEP.244284	Y3805	R116 Ed 8 Rev 4	CONFORMING	14/11/2021	
	AC	7MM AR450	N/A	XEP.244297	Y3844	R116 Ed 8 Rev 4	CONFORMING	17/01/2022	
	EME 2	14MM Cecabase		XEP.243847	Y4078	Not Available	SUBMITTED	11/12/2022	
	OG	10MM A15E	N/A	XEP.244346	Y3852	R119 Ed 1 Rev 2	CONFORMING	13/03/2022	
<b>MACLEAN</b>	AC	10MM A15E	N/A	X27.244197	Y3691	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	14MM A15E		X27.244222	Y3692	Not Available	CONFORMING	30/06/2021	
	SMA	14MM A15E	N/A	X27.244359	Y3768	R121 Ed 3 Rev 2	CONFORMING	04/08/2021	
<b>Port Kembla</b>	AC	10MM AR450	N/A	XKP.244209	Y3894	R116 Ed 8 Rev 4	CONFORMING	25/01/2022	
	AC	10MM AR450	1W	XKP.245060	Y3843	R116 Ed 8 Rev 4	CONFORMING	11/11/2021	
	AC	14MM AR450	N/A	XKP.244237	Y3778	R116 Ed 8 Rev 4	CONFORMING	15/09/2021	
	AC	20MM AR450	1	XKP.245067	Y3777	R116 Ed 8 Rev 4	CONFORMING	04/10/2021	
	AC	20MM AR450	1	XKP.247580	Y3776	R116 Ed 8 Rev 4	CONFORMING	04/10/2021	
<b>West Burleigh QLD</b>	AC	10MM AR450	N/A	B:AC10H/20/2220	Y3945	R116 Ed 8 Rev 4	PENDING	15/05/2022	VMA outside spec

**Colas NSW**

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Cooperabung (Hunter)</b>	AC	10MM A15E	N/A	07 - 13630	Y3646	R116 Ed 8 Rev 4	CONFORMING	09/10/2022	
	AC	10MM AR450	N/A	07 - 13330	Y4050	R116 Ed 8 Rev 4	CONFORMING	09/10/2022	
	AC	14MM A15E	N/A	07 - 16630	Y4055	R116 Ed 8 Rev 4	CONFORMING	31/10/2022	
	AC	14MM AR450	N/A	07 - 16330	Y4049	R116 Ed 8 Rev 4	CONFORMING	31/10/2022	
	AC	20MM A15E	N/A	07 - 18630	Y3648	R116 Ed 8 Rev 4	CONFORMING	09/10/2022	
	AC	20MM AR450	N/A	07 - 18330	Y3644	R116 Ed 8 Rev 4	CONFORMING	09/10/2022	
	AC	7MM A15E	N/A	07 - 12630	Y4054	R116 Ed 8 Rev 4	CONFORMING	31/10/2022	
	AC	7MM AR450	N/A	07 - 12330	Y4051	R116 Ed 8 Rev 4	CONFORMING	31/10/2022	
<b>Iluka Tomago</b>	SMA	14MM A15E	N/A	08 - 36605	Y3828	R121 Ed 3 Rev 2	CONFORMING	22/08/2021	
	AC	10MM AR450	1W	01 - 6110.10	Y4106	R116 Ed 8 Rev 4	CONFORMING	06/10/2022	
	AC	10MM AR450	N/A	01 - 6110	Y3465	R116 Ed 8 Rev 4	CONFORMING	05/10/2022	
	AC	10MM A15E	1W	01 - 6410.10	Y4046	R116 Ed 8 Rev 4	CONFORMING	06/10/2022	
	AC	10MM A15E	N/A	01 - 6410	Y3620	R116 Ed 8 Rev 4	CONFORMING	05/10/2022	
	AC	14MM AR450	1W	01 - 6114.15	Y4022	R116 Ed 8 Rev 4	CONFORMING	27/10/2022	
	AC	14MM AR450	N/A	01 - 5114	Y4105	R116 Ed 8 Rev 4	CONFORMING	09/03/2022	
	AC	14MM AR450	1	01 - 5114.10	Y3881	R116 Ed 8 Rev 4	CONFORMING	19/04/2022	
	AC	14MM A15E	N/A	01-5414	Y4104	R116 Ed 8 Rev 4	CONFORMING	09/03/2022	
	AC	14MM A5E	1W	01 - 6514.15	Y4020	R116 Ed 8 Rev 4	CONFORMING	13/10/2022	
	AC	14MM AR450	N/A	01 - 6114	Y4026	R116 Ed 8 Rev 4	CONFORMING	01/11/2022	
	AC	14MM AR450	2	01 - 6114.20	Y4025	R116 Ed 8 Rev 4	CONFORMING	01/11/2022	
	AC	14MM A15E	N/A	01 - 6414	Y4027	R116 Ed 8 Rev 4	CONFORMING	01/11/2022	
	AC	20MM AR450	N/A	01 - 6120	Y4047	R116 Ed 8 Rev 4	CONFORMING	07/11/2022	
	AC	20MM AR450	1	01 - 6120.15	Y3906	R116 Ed 8 Rev 4	CONFORMING	14/02/2022	
	AC	20MM AR450	2	01 - 6120.20	Y3757	R116 Ed 8 Rev 4	CONFORMING	18/07/2021	
	AC	20MM AR450	3	01 - 6120.25	Y4074	R116 Ed 8 Rev 4	CONFORMING	04/12/2022	
	OG	10MM A15E	N/A	01 - 1541.00	Y3977	R119 Ed 1 Rev 2	CONFORMING	31/08/2022	
	OG	10MM A15E	N/A	01 - 4410	Y4141	R119 Ed 1 Rev 2	CONFORMING	28/05/2023	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Identifier	Mix	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago	RUB 14MM AR450 BER	N/A	01 - 419		Y4045	R118 Ed 1 Rev 1	CONFORMING	07/11/2022	
	RUB 14MM AR450 BER	N/A	01 - 450		Y3815	R118 Ed 1 Rev 1	CONFORMING	05/12/2021	
<b><u>Downer EDI</u></b>									
Bathurst (Kelso)	AC 10MM AR450	N/A	156131.02		Y4083	R116 Ed 8 Rev 4	CONFORMING	22/02/2023	
	AC 14MM AR450	2W	156233.02		Y4081	R116 Ed 8 Rev 4	CONFORMING	27/02/2023	
	AC 14MM A15E	1W	156231.36		Y4117	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC 14MM A15E	N/A	156237.06		Y4084	R116 Ed 8 Rev 4	PENDING	22/02/2023	Awaiting T640, Modulus.
	AC 14MM AR450	N/A	156230.02		Y4086	R116 Ed 8 Rev 4	CONFORMING	31/01/2023	
	AC 14MM A15E	1W	156231.06		Y4085	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC 14MM AR450	1W	156231.02		Y4087	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC 20MM AR450	2W	156333.02		Y4115	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC 20MM AR450	2W	156331.02		Y4118	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC 20MM AR450	2W	156331.32		Y4119	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC 20MM AR450	2W	156330.02		Y4114	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC 20MM AR450	2	156333.02		Y4080	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
Hume (Southern)	AC 10MM A15E	N/A	101105W		Y4082	R116 Ed 8 Rev 4	CONFORMING	16/02/2023	
	AC 10MM AR450	N/A	101 - 1043		Y3891	R116 Ed 8 Rev 4	CONFORMING	06/05/2022	
	AC 14MM A15E	1W	1011426W		Y4113	R116 Ed 8 Rev 4	CONFORMING	17/04/2023	
	AC 14MM AR450	N/A	1011433		Y4146	R116 Ed 8 Rev 4	CONFORMING	06/05/2022	
	AC 14MM AR450	N/A	1011420		Y4007	R116 Ed 8 Rev 4	CONFORMING	22/10/2022	
	AC 14MM A15E	N/A	101 - 147		Y3853	R116 Ed 8 Rev 4	CONFORMING	22/03/2022	
	AC 14MM AR450	1	1011426		Y4002	R116 Ed 8 Rev 4	CONFORMING	22/10/2022	
	AC 20MM AR450	N/A	1012039		Y4147	R116 Ed 8 Rev 4	CONFORMING	06/05/2022	
	AC 20MM AR450	1	1012023		Y4006	R116 Ed 8 Rev 4	CONFORMING	22/10/2022	
	AC 20MM AR450	N/A	1012016		Y4005	R116 Ed 8 Rev 4	CONFORMING	22/10/2022	
RUB 14MM AR450 BER	N/A	10114CR		Y4116	R118 Ed 1 Rev 1	CONFORMING	05/05/2023		

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Hume (Southern)</b>	RUB 14MM AR450 BER	N/A	10114CR	Y3497	R118 Ed 1 Rev 1	CONFORMING	11/10/2021	
	SMA 10MM A15E	N/A	1011023	Y3999	R121 Ed 3 Rev 2	CONFORMING	04/09/2022	
	SMA 14MM A15E	N/A	101149W	Y3789	R121 Ed 3 Rev 2	CONFORMING	26/08/2021	
<b>Mogo</b>	AC 10MM AR450	N/A	15410450	Y3982	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
	AC 14MM A15E	N/A	15414PMBHD	Y4001	R116 Ed 8 Rev 4	CONFORMING	27/09/2022	
	AC 14MM AR450	N/A	15414450	Y3981	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
	AC 20MM AR450	N/A	15420450	Y3980	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
<b>Narrandera</b>	AC 10MM AR450	N/A	11310450	Y3983	R116 Ed 8 Rev 4	CONFORMING	19/07/2022	
	AC 14MM A15E	N/A	11314PMB	Y4124	R116 Ed 8 Rev 4	CONFORMING	08/05/2022	
	AC 14MM AR450	N/A	11314450	Y4123	R116 Ed 8 Rev 4	CONFORMING	11/07/2022	
	AC 20MM AR450	N/A	11320450	Y3984	R116 Ed 8 Rev 4	CONFORMING	11/10/2022	
<b>Rosehill</b>	AC 10MM Evother m	2W	109131.06	Y4130	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC 10MM AR450	2W	109133.02	Y3774	R116 Ed 8 Rev 4	CONFORMING	07/10/2021	
	AC 10MM A15E	1PW	109131.06	Y3512	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC 10MM Evother m	2W	109131.06	Y4130	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC 14MM A15E	N/A	109237.36	Y3910	R116 Ed 8 Rev 4	CONFORMING	20/04/2022	
	AC 14MM A15E	1PW	109231.36	Y3912	R116 Ed 8 Rev 4	CONFORMING	11/01/2022	
	AC 14MM AR450	2W	109233.22	Y4096	R116 Ed 8 Rev 4	CONFORMING	26/02/2023	
	AC 14MM A35P	2W	109231.07	Y4129	R116 Ed 8 Rev 4	CONFORMING	09/05/2023	
	AC 14MM A15E	1PW	109231.06	Y3822	R116 Ed 8 Rev 4	CONFORMING	11/01/2022	
	AC 14MM AR450	2W	109233.42	Y3800	R116 Ed 8 Rev 4	CONFORMING	30/10/2021	
	AC 14MM A15E	2W	109233.82	Y4088	R116 Ed 8 Rev 4	CONFORMING	15/11/2022	
	AC 14MM AR450	2W	109233.32	Y3913	R116 Ed 8 Rev 4	CONFORMING	09/01/2022	
	AC 14MM AR450	2W	109233.82	Y4097	R116 Ed 8 Rev 4	CONFORMING	26/02/2023	
	AC 14MM A15E	N/A	109237.06	Y3764	R116 Ed 8 Rev 4	CONFORMING	27/09/2021	
AC 14MM AR450	2W	109233.02	Y3829	R116 Ed 8 Rev 4	CONFORMING	09/01/2022		
AC 14MM AR450	2W	109234.02	Y3865	R116 Ed 8 Rev 4	CONFORMING	29/10/2021		

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Rosehill	AC 14MM AR450	1W	109232.02	Y4108	R116 Ed 8 Rev 4	CONDITIONAL	04/09/2022	awaiting T640 and modulus
	AC 14MM A15E	2W	109231.26	Y3976	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
	AC 14MM A15E	2W	109231.86	Y4099	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
	AC 20MM AR450		109335.22A	Y3921	Not Available	CONFORMING	05/07/2022	awaiting t640 and modulus. Contains 2.5% glass
	AC 20MM AR450	3	109335.42	Y3799	R116 Ed 8 Rev 4	CONFORMING	13/11/2021	
	AC 20MM AR450	2	109332.02	Y4019	R116 Ed 8 Rev 4	CONFORMING	13/11/2022	
	AC 20MM AR450	4	109335.82	Y3888	R116 Ed 8 Rev 4	CONFORMING	28/06/2021	
	AC 20MM A35P	1P	109331.07	Y3866	R116 Ed 8 Rev 4	CONFORMING	13/03/2022	
	AC 20MM AR450	3	109334.02	Y3765	R116 Ed 8 Rev 4	CONFORMING	29/09/2021	
	AC 20MM A15E		109331.06	Y3867	Not Available	CONFORMING	13/03/2022	
	AC 20MM AR450	3	109335.02	Y4120	R116 Ed 8 Rev 4	CONFORMING	25/04/2023	
	AC 20MM AR450	3	109335.22	Y3674	R116 Ed 8 Rev 4	CONFORMING	01/05/2023	Conforms to R116 Ed 8 Rev 5
	AC 20MM AR450	4	109335.32	Y3903	R116 Ed 8 Rev 4	CONFORMING	28/06/2021	
	AC 28MM AR450	4	109435.02	Y3882	R116 Ed 8 Rev 4	CONFORMING	19/04/2022	
	AC 28MM AR450	2	109434.32	Y3769	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	Contains 0.3% cecabase
	AC 28MM A15E	1	109431.06	Y3926	R116 Ed 8 Rev 4	PENDING	17/07/2022	Awaiting T640 and Modulus
	AC 28MM AR450	4	109435.82	Y3900	R116 Ed 8 Rev 4	CONFORMING	25/04/2022	
	AC 28MM AR450	4	109435.22	Y3901	R116 Ed 8 Rev 4	CONFORMING	25/04/2022	
	AC 7MM AR450		109030.02	Y3783	Not Available	CONFORMING	16/09/2021	
	OG 10MM A15E	N/A	109150.06	Y3883	R119 Ed 1 Rev 2	CONFORMING	28/03/2022	
Shepparton	AC 14MM AR450	N/A	R19-0470	Y3781	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 14MM A10E	N/A	R19-0471	Y3780	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 20MM AR450	N/A	R19-0469	Y3782	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
Teralba	AC 14MM A15E	N/A	152237.06	Y4149	R116 Ed 8 Rev 4	CONFORMING	06/06/2023	
	AC 14MM AR450	2W	152233.02	Y3803	R116 Ed 8 Rev 4	CONFORMING	26/10/2021	
	AC 20MM AR450	3	152334.02	Y4018	R116 Ed 8 Rev 4	CONFORMING	07/11/2022	
	AC 20MM AR450	3	152334.02	Y3804	R116 Ed 8 Rev 4	CONFORMING	24/10/2021	
	OG 10MM A15E	N/A	152157.06	Y4066	R119 Ed 1 Rev 2	CONFORMING	13/02/2023	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Teralba</b>	OG 10MM A15E	N/A	152150.06	Y3915	R119 Ed 1 Rev 2	CONFORMING	26/06/2022	
	OG 10MM A15E	N/A	152150.06BH	Y3854	R119 Ed 1 Rev 2	CONFORMING	20/03/2022	
	SMA 10MM A15E	N/A	152-170.06	Y3810	R121 Ed 3 Rev 2	PENDING	07/12/2021	
	SMA 10MM Cecabase	N/A	152-170.06	Y3810	R121 Ed 3 Rev 2	PENDING	07/12/2021	
	SMA 10MM A15E	N/A	152170.06	Y3827	R121 Ed 3 Rev 2	CONFORMING	24/01/2022	
	SMA 10MM A15E	N/A	152170.36	Y3889	R121 Ed 3 Rev 2	PENDING	24/01/2022	
	SMA 10MM Cecabase	N/A	152170.36	Y3889	R121 Ed 3 Rev 2	PENDING	24/01/2022	
<b>Wodonga</b>	AC 10MM AR450 1W		353 - 19 0607	Y3741	R116 Ed 8 Rev 4	CONFORMING	29/08/2021	
	AC 14MM A15E	N/A	140 - 14ACHDA15E	Y4053	R116 Ed 8 Rev 4	CONFORMING	19/01/2023	
	AC 14MM AR450 1PW		353 - 19 0705	Y3742	R116 Ed 8 Rev 4	CONFORMING	29/08/2021	
	AC 20MM AR450 1		140 - 20ACHD 15%RAP	Y3773	R116 Ed 8 Rev 4	CONFORMING	31/10/2021	
	AC 20MM AR450 1		140 - 20ACHD15%RAP	Y4056	R116 Ed 8 Rev 4	PENDING	19/01/2023	awaiting dcv,mbv
<b>Fenworx Pty Ltd</b>								
<b>Moree</b>	AC 10MM AR450		03 - 001	Y4012	Not Available	CONFORMING	30/08/2022	
	AC 10MM A15E	N/A	03 - 005	Y4010	R116 Ed 8 Rev 4	CONFORMING	30/08/2022	
	AC 14MM A15E	N/A	03 - 004	Y3908	R116 Ed 8 Rev 4	CONFORMING	25/11/2021	
	AC 14MM AR450	N/A	03 - 002	Y3905	R116 Ed 8 Rev 4	CONFORMING	06/10/2021	
	AC 20MM AR450	N/A	03 - 002	Y3907	R116 Ed 8 Rev 4	CONFORMING	06/10/2021	
<b>Muswellbrook</b>	AC 10MM AR450	N/A	04 - 001	Y3848	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC 14MM AR450	N/A	04 - 002	Y3820	R116 Ed 8 Rev 4	CONFORMING	19/01/2022	
	AC 14MM A15E	N/A	04 - 007	Y3880	R116 Ed 8 Rev 4	CONFORMING	13/04/2022	
	AC 14MM AR450	N/A	04 - 008	Y3944	R116 Ed 8 Rev 4	CONFORMING	12/07/2022	
	AC 14MM A15E	N/A	04 - 010	Y3974	R116 Ed 8 Rev 4	CONFORMING	17/08/2022	
	AC 20MM AR450	N/A	04 - 004	Y3849	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC 20MM AR450	N/A	04 - 009	Y3946	R116 Ed 8 Rev 4	CONDITIONAL	10/07/2022	Awaiting T640 and Modulus
<b>Tomago (Hunter)</b>	AC 10MM AR450	N/A	01 - 003	Y3825	R116 Ed 8 Rev 4	CONFORMING	24/11/2021	
	AC 10MM A15E	N/A	01 - 039	Y3951	R116 Ed 8 Rev 4	PENDING	22/07/2022	Awaiting T640 and Modulus



Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Tomago (Hunter)</b>	AC	14MM AR450	1	01 - 006	Y3949	R116 Ed 8 Rev 4	PENDING	13/06/2022	Awaiting T640 , modulus
	AC	14MM A15E	1PW	01 - 021	Y4057	R116 Ed 8 Rev 4	CONFORMING	12/01/2023	
	AC	14MM A15E	N/A	01 - 024	Y3860	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC	14MM AR450	N/A	01 - 009	Y3850	R116 Ed 8 Rev 4	CONFORMING	03/02/2022	
	AC	14MM A15E	N/A	01 - 042	Y3972	R116 Ed 8 Rev 4	CONFORMING	30/05/2022	
	AC	14MM AR450	N/A	01 - 007	Y4145	R116 Ed 8 Rev 4	CONDITIONAL	01/05/2023	Awaiting DCV and modulus
	AC	14MM A15E	N/A	01 - 018	Y3950	R116 Ed 8 Rev 4	PENDING	26/03/2022	Awaiting T640 and modulus
	AC	20MM AR450	1	01 - 027	Y3948	R116 Ed 8 Rev 4	PENDING	13/06/2022	Awaiting DCV
	AC	20MM A15E	1P	01 - 015	Y3947	R116 Ed 8 Rev 4	CONFORMING	26/05/2022	
	AC	20MM AR450	2	01 - 036	Y4058	R116 Ed 8 Rev 4	CONFORMING	09/01/2023	
	AC	20MM AR450	N/A	01 - 013	Y4144	R116 Ed 8 Rev 4	CONDITIONAL	28/05/2023	awaiting dcv and modulus
	AC	28MM AR450	N/A	01 - 017	Y3958	R116 Ed 8 Rev 4	CONFORMING	11/08/2022	
	OG	10MM A15E	N/A	01 - 005	Y4065	R119 Ed 1 Rev 2	PENDING	14/02/2023	Awaiting DCV
	RUB BER	14MM AR450	N/A	01 - 041	Y3973	R118 Ed 1 Rev 1	CONFORMING	02/06/2022	
	RUB BER	14MM AR450	N/A	01 - 016	Y3832	R118 Ed 1 Rev 1	CONFORMING	31/01/2022	
	RUB BER	14MM AR450	N/A	01 - 010	Y3749	R119 Ed 1 Rev 2	CONFORMING	08/09/2021	
<b><u>Fishers Asphalt</u></b>									
<b>Kempsey (Northern)</b>	AC	14MM AR450	N/A	LB800-AP1	Y3720	R116 Ed 8 Rev 4	PENDING	26/07/2021	Awaiting T640, DCV,CMA, MBV,Mod
	AC	14MM AR450	N/A	LB80031	Y3190	R116 Ed 8 Rev 4	CONFORMING	26/07/2021	
	AC	14MM A15E	N/A	LB80032	Y3756	R116 Ed 8 Rev 4	CONFORMING	26/07/2021	
	AC	20MM AR450	N/A	LB80041	Y3994	R116 Ed 8 Rev 4	CONFORMING	22/08/2022	
<b><u>Fulton Hogan Industries P/L</u></b>									
<b>Alexandria</b>	AC	10MM AR450	N/A	4001.AP4173.4	Y3895	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
	AC	7MM AR450	N/A	4001.AP4117.1	Y3898	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
<b>Bushells Ridge</b>	AC	10MM AR450	N/A	4012.AP4173.2	Y3737	R116 Ed 8 Rev 4	CONFORMING	22/08/2021	
	AC	14MM AR450	1	4012.AP4241.3	Y4003	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Bushells Ridge</b>	AC	14MM A15E	N/A	4012.AP4243.1	Y3740	R116 Ed 8 Rev 4	CONFORMING	12/08/2021	
	AC	14MM AR450		4012.AP4244.1	Y4029	Not Available	CONFORMING	24/11/2022	
	AC	14MM AR450	N/A	4012.AP4241.2	Y3738	R116 Ed 8 Rev 4	CONFORMING	22/08/2021	
	AC	14MM A15E	1	4012.AP4236.2	Y4014	R116 Ed 8 Rev 4	CONFORMING	23/10/2022	
	AC	14MM Cecaba se	1	4012.AP4241.3	Y3997	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	
	AC	14MM AR450	1	4012.AP4241.3	Y3997	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	
	AC	20MM AR450	2	4012.AP4311.3	Y3996	R116 Ed 8 Rev 4	CONFORMING	07/05/2022	
	AC	20MM AR450	N/A	4012.AP4311.2	Y3739	R116 Ed 8 Rev 4	CONFORMING	21/08/2021	
	AC	28MM AR450	1	4012.AP4342.1	Y3978	R116 Ed 8 Rev 4	CONFORMING	21/09/2022	
	OG	10MM A15E	N/A	4012 - AP4466.1	Y3812	R119 Ed 1 Rev 2	CONFORMING	01/01/2022	
	RUB BER	14MM AR450	N/A	4012.AP4242.2	Y3995	R118 Ed 1 Rev 1	CONFORMING	05/07/2022	
<b>Eastern Creek</b>	AC	10MM AR450	1W	4013 - AP4173.1	Y3722	R116 Ed 8 Rev 4	CONFORMING	05/07/2021	
	AC	10MM AR450	1W	4013 - AP4173.3	Y3721	R116 Ed 8 Rev 4	CONFORMING	05/07/2021	
	AC	14MM AR450	2W	4013.AP4241.2	Y3975	R116 Ed 8 Rev 4	CONFORMING	11/08/2022	
	AC	14MM A15E	1	4013 - AP4236.1	Y3731	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	
	AC	14MM A15E	N/A	4013 - AP4244.1	Y3788	R116 Ed 8 Rev 4	CONFORMING	16/11/2021	Contains slag aggregate
	AC	14MM A35P	1	4013.AP4239.1	Y3833	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	
	AC	14MM A15E	1	4013.AP4244.1	Y4021	R116 Ed 8 Rev 4	CONFORMING	23/11/2022	
	AC	14MM A15E	1	4013.AP4244.1WMA	Y4037	R116 Ed 8 Rev 4	CONFORMING	08/12/2022	
	AC	14MM AR450	1W	4013 - AP4241.1	Y3689	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	20MM AR450	1	4013.AP4311.4	Y3831	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM AR450	2	4013.AP4313.1WMA	Y4028	R116 Ed 8 Rev 4	CONFORMING	28/11/2022	
	AC	20MM Cecaba se	1	4013.AP4311.4	Y3826	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM AR450	N/A	4013 - AP4311.1	Y3690	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	20MM AR450	2	4013 - AP4311.3	Y3730	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	20MM A35P	1	4013.AP4309.1	Y3830	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM AR450	1	4013 - AP4311.2	Y3726	R116 Ed 8 Rev 4	CONFORMING	08/08/2021	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Eastern Creek	AC 20MM Cecaba 1 se		4013.AP4311.4	Y3826	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC 28MM AR450 2		4013.AP4344.1	Y4095	R116 Ed 8 Rev 4	CONFORMING	30/01/2023	
	AC 28MM AR450 2		4013.AP4344.1	Y4093	R116 Ed 8 Rev 4	SUBMITTED	30/01/2023	25% RAP; 10% Glass
	AC 28MM basalt 2		4013.AP4344.1	Y4093	R116 Ed 8 Rev 4	SUBMITTED	30/01/2023	25% RAP; 10% Glass
	AC 28MM AR450 1		4013 - AP4341.1	Y3770	R116 Ed 8 Rev 4	CONFORMING	09/10/2021	
	AC 7MM AR450 N/A		4013 - AP4117.1	Y3725	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
	AC 7MM AR450 N/A		4013 - AP4117.2	Y3724	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
	OG 10MM A15E N/A		4013.AP4466.1	Y3755	R119 Ed 1 Rev 2	CONFORMING	20/08/2021	
Kembla Grange	AC 10MM A15E 1		4007.AP4192.2	Y3753	R116 Ed 8 Rev 4	CONFORMING	30/08/2021	
	AC 10MM AR450 1		4007.AP4173.4	Y3752	R116 Ed 8 Rev 4	CONFORMING	15/07/2021	
	AC 10MM AR450 1		4007.AP4173.5	Y3954	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	
	AC 14MM AR450 1		4007.AP4231.2	Y4038	R116 Ed 8 Rev 4	CONFORMING	01/12/2022	
	AC 14MM AR450 1		4007.AP4241.9	Y4136	R116 Ed 8 Rev 4	CONFORMING	17/04/2023	
	AC 14MM AR450 1		4007.AP4230.1	Y3953	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC 14MM AR450 1		4007.AP4231.1	Y3952	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC 14MM AR450 1		4007.AP4230.1	Y3955	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC 14MM A15E 1W		4007.AP4236.5	Y4137	R116 Ed 8 Rev 4	CONFORMING	04/05/2023	
	AC 14MM A15E 1		4007.AP4236.4	Y3914	R116 Ed 8 Rev 4	CONFORMING	30/05/2022	
	AC 14MM AR450 1		4007.AP4241.7	Y3937	R116 Ed 8 Rev 4	CONFORMING	15/06/2022	
	AC 14MM AR450 N/A		4007.AP4241.8	Y4023	R116 Ed 8 Rev 4	CONFORMING	02/11/2022	
	AC 20MM AR450 1		4007.AP4311.10	Y4024	R116 Ed 8 Rev 4	CONFORMING	02/11/2022	
	AC 20MM AR450 1		4007.AP4311.11	Y4135	R116 Ed 8 Rev 4	CONFORMING	08/04/2023	
	AC 20MM AR450 2		4007.AP4311.9	Y3956	R116 Ed 8 Rev 4	CONFORMING	19/07/2022	
	AC 20MM AR450 2		4007.AP4313.1	Y4094	R116 Ed 8 Rev 4	CONFORMING	31/08/2023	
	AC 28MM AR450 1		4013.AP4342.1	Y3957	R116 Ed 8 Rev 4	CONFORMING	27/07/2022	
	OG 10MM basalt		4007.AP4456.2	Y4090	R119 Ed 1 Rev 2	CONFORMING	30/01/2023	Slag Aggregate
	OG 10MM basalt		4007.AP4456.2	Y4090	R119 Ed 1 Rev 2	CONFORMING	30/01/2023	Slag Aggregate

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Kembla Grange</b>	RUB 14MM AR450 BER	N/A	4007 - AP4242.1	Y3746	R118 Ed 1 Rev 1	CONFORMING	29/08/2021	
	SMA 10MM A15E	N/A	4007.AP4572.6	Y4062	R121 Ed 3 Rev 2	CONFORMING	22/01/2023	
	SMA 10MM A15E	N/A	4007.AP4572.5	Y3897	R121 Ed 3 Rev 2	CONFORMING	22/05/2022	
	SMA 10MM A15E	N/A	4007.AP4572.7	Y4134	R121 Ed 3 Rev 2	CONFORMING	22/05/2023	
	SMA 14MM A15E	N/A	4007.AP4602.2	Y3821	R121 Ed 3 Rev 2	CONFORMING	26/07/2021	
	SMA 14MM A15E	N/A	4007.AP4602.4	Y4143	R121 Ed 3 Rev 2	CONFORMING	18/04/2023	
	SMA 14MM A15E	N/A	4007.AP4602.3	Y4102	R121 Ed 3 Rev 2	CONFORMING	27/02/2023	
<b>Minto</b>	AC 14MM A15E	N/A	4010 - AP4236.11	Y3767	R116 Ed 8 Rev 4	CONFORMING	09/10/2021	
<b>Tamworth</b>	AC 14MM AR450	N/A	4006 - AP4241.4	Y3814	R116 Ed 8 Rev 4	CONFORMING	15/11/2021	
	AC 14MM A15E	N/A	4006 - AP4236.3	Y3813	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 20MM AR450	N/A	4006.AP4311.6	Y3845	R116 Ed 8 Rev 4	CONFORMING	10/11/2021	
<b>Wagga Wagga</b>	AC 10MM AR450	N/A	4009.AP4173.6	Y4067	R116 Ed 8 Rev 4	CONFORMING	30/01/2023	
	AC 14MM AR450	N/A	4009 - AP4241.5	Y3876	R116 Ed 8 Rev 4	CONFORMING	06/04/2022	
	AC 14MM A15E	N/A	4009 - AP4236.4	Y3877	R116 Ed 8 Rev 4	CONFORMING	11/11/2021	
	AC 20MM AR450	N/A	4009.AP4311.7	Y3884	R116 Ed 8 Rev 4	CONFORMING	07/04/2022	
	SMA 10MM A15E	N/A	4009.AP4572.3	Y4068	R121 Ed 3 Rev 2	CONFORMING	12/01/2023	

### **Hawksbury Eco Asphalt**

<b>South Windsor</b>	EME 14MM Evother 2 m		HEA AP1-275699	Y4125	Not Available	SUBMITTED	19/03/2023	EME2 mix
<b>Windsor</b>	AC 10MM AR450	N/A	HEAAP1 - 275620	Y4016	R116 Ed 8 Rev 4	CONFORMING	12/10/2022	
	AC 14MM A15E	N/A	HEAAP1 - 275627	Y3927	R116 Ed 8 Rev 4	CONFORMING	19/06/2022	Need to follow up site inspections
	AC 14MM AR450	N/A	HEAAP1 - 275621	Y3863	R116 Ed 8 Rev 4	CONFORMING	05/05/2022	Need to follow up site inspections
	AC 14MM AR450	1	HEAAP1 - 275631	Y3979	R116 Ed 8 Rev 4	CONFORMING	05/05/2022	
	AC 20MM AR450	N/A	HEAAP1 - 275622	Y3890	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
	AC 20MM A15E	N/A	HEAAP1 - 275628	Y3928	R116 Ed 8 Rev 4	CONFORMING	19/06/2022	
	AC 20MM AR450	1	HEAAP1 - 275632	Y3930	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
AC 28MM AR450	N/A	HEAAP1 - 275623	Y4015	R116 Ed 8 Rev 4	CONFORMING	25/08/2022		

### **Roadworx**

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<b>Kembla Grange</b>	AC 10MM AR450	N/A	CA-HD10-00	Y3855	R116 Ed 8 Rev 4	CONFORMING	07/03/2022	
	AC 10MM AR450	N/A	BD-HD10-00	Y3856	R116 Ed 8 Rev 4	CONFORMING	07/03/2022	
	AC 14MM AR450	N/A	AC14HDR116AR450	Y3786	R116 Ed 8 Rev 4	CONFORMING	13/10/2021	
	AC 14MM A10E	N/A	AC14A10ER116	Y4061	R116 Ed 8 Rev 4	CONFORMING	22/11/2022	
	AC 20MM AR450	N/A	01 - CA-HD20-00	Y3899	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	AC 20MM AR450	N/A	CA-HD20-00	Y3885	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	OG 10MM A15E	N/A	01 - OG10	Y3811	R119 Ed 1 Rev 2	CONFORMING	07/12/2021	
	SMA 14MM A15E	N/A	01 - SMA14	Y3816	R121 Ed 3 Rev 2	CONFORMING	22/11/2021	
<b><u>RPQ Asphalt Pty Ltd</u></b>								
<b>Lismore</b>	AC 14MM AR450	N/A	RPQ.AC14H211010C450	Y4148	R116 Ed 8 Rev 4	CONFORMING	07/05/2023	
	AC 20MM AR450	N/A	AC20H-19-1005C450	Y3661	R116 Ed 8 Rev 4	CONFORMING	21/08/2021	
<b><u>State Asphalt Services</u></b>								
<b>Kulnura</b>	RUB 14MM AR450	N/A	06 - 0809CR	Y3733	R118 Ed 1 Rev 1	CONFORMING	01/08/2021	
<b>Marulan</b>	AC 20MM AR450		03-152SA	Y4132	Not Available	CONDITIONAL	03/04/2023	1.Wet/dry strength and particle density for Molong 7mm aggregates 2.Wet/dry strength for 10mm aggregates 3. update report date to be within 6months to submission
	AC 20MM	Cecabasse	03-152SA	Y4132	Not Available	CONDITIONAL	03/04/2023	1.Wet/dry strength and particle density for Molong 7mm aggregates 2.Wet/dry strength for 10mm aggregates 3. update report date to be within 6months to submission
<b>Molong</b>	AC 20MM	Cecabasse	3-152	Y4076	Not Available	CONDITIONAL	17/02/2023	1.Wet/dry strength and particle density for Molong 7mm aggregates 2.Wet/dry strength for 10mm aggregates 3. update report date to be within 6months to submission
	AC 20MM	AR450	3-152	Y4076	Not Available	CONDITIONAL	17/02/2023	1.Wet/dry strength and particle density for Molong 7mm aggregates 2.Wet/dry strength for 10mm aggregates 3. update report date to be within 6months to submission
<b>Nowra</b>	AC 10MM	Cecabasse	N/A 04 - 020	Y3963	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC 10MM	A15E	04-012	Y4140	R116 Ed 8 Rev 4	PENDING	16/05/2023	
	AC 10MM	Brandy Hill	04-012	Y4140	R116 Ed 8 Rev 4	PENDING	16/05/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Nowra	AC	10MM AR450	1W	04 - 204510	Y3961	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	10MM AR450	N/A	04 - 020	Y3963	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	14MM AR450		04 - 031	Y3988	R116 Ed 8 Rev 4	CONFORMING	17/06/2022	
	AC	14MM AR450	1W	04 - 204514	Y3916	R116 Ed 8 Rev 4	CONFORMING	30/03/2022	
	AC	14MM A15E	N/A	04 - 013	Y3986	R116 Ed 8 Rev 4	CONFORMING	18/08/2022	
	AC	20MM AR450	1	04 - 204520	Y3917	R116 Ed 8 Rev 4	CONFORMING	22/03/2022	
	AC	20MM AR450	N/A	04 - 022	Y3918	R116 Ed 8 Rev 4	CONFORMING	22/03/2022	
	AC	28MM AR450		04 - 011	Y3989	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC	28MM AR450			Y3987	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC	28MM AR450	1	04 - 204528	Y3965	R116 Ed 8 Rev 4	CONFORMING	28/06/2022	
	SMA	10MM A15E	N/A	04 - 018067	Y4033	R121 Ed 3 Rev 2	CONFORMING	29/09/2022	
Preston	AC	10MM Cecaba se	1	01 - 09111G	Y4043	R116 Ed 8 Rev 4	CONFORMING	27/10/2022	15% RAP
	AC	10MM AR450	1	01 - 09111G	Y4043	R116 Ed 8 Rev 4	CONFORMING	27/10/2022	15% RAP
	OG	14MM Cecaba se		01-1415H_OG	Y4059	Not Available	CONFORMING	13/12/2022	
	OG	14MM Cecaba se		01-1415H_OG	Y4059	Not Available	CONFORMING	13/12/2022	
Prestons	AC	10MM AR450	1	01 - 09111	Y4044	R116 Ed 8 Rev 4	CONFORMING	03/11/2022	15% RAP
	AC	10MM A35P	1P	01 - 203510	Y3837	R116 Ed 8 Rev 4	CONFORMING	13/01/2022	
	AC	10MM AR450	N/A	01 - 204510_0	Y3962	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	10MM A15E	1PW	01 - 09815	Y3933	R116 Ed 8 Rev 4	CONFORMING	18/05/2022	
	AC	14MM AR450	1W	01 - 204514SA	Y3969	R116 Ed 8 Rev 4	CONFORMING	18/04/2022	Contains sasobit warm-mix additive
	AC	14MM A10E	1PW	01 - 09096	Y3922	R116 Ed 8 Rev 4	CONFORMING	20/03/2022	
	AC	14MM A15E	1PW	01 - 201415G	Y4133	Not Available	PENDING	26/04/2023	10% RAP; Granulated Glass Aggregate
	AC	14MM Evotherm	1PW	01 - 201415G	Y4133	Not Available	PENDING	26/04/2023	10% RAP; Granulated Glass Aggregate
	AC	14MM Samifal t A15E		01-09168	Y2848	R116 Ed 8 Rev 4	PENDING	31/05/2023	Slag Aggregate Warm Mix Additive
	AC	14MM AR450	1	01 - 09112SA	Y3964	R116 Ed 8 Rev 4	CONFORMING	09/03/2022	Contains sasobit warm-mix additve
AC	14MM AR450	1W	01 - 09112	Y3875	R116 Ed 8 Rev 4	CONFORMING	20/01/2022		

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Prestons	AC	14MM AR450		01-137	Y2848	R116 Ed 8 Rev 4	CONFORMING	03/04/2023	Steel Furnace Slag Aggregates; Aggregate meets free lime content criteria
	AC	14MM A15E	1PW	01 - 09099	Y3314	R116 Ed 8 Rev 4	CONDITIONAL	01/04/2023	10% RAP
	AC	14MM AR450	1W	01 -204514	Y3874	R116 Ed 8 Rev 4	CONFORMING	20/01/2022	
	AC	14MM A15E	N/A	01 - 201514	Y3842	R116 Ed 8 Rev 4	CONFORMING	25/01/2022	
	AC	14MM A15E	1PW	01-09099s	Y4139	R116 Ed 8 Rev 4	CONDITIONAL	30/04/2023	contains Sasobit Warm Mix Additive 10% RAP
	AC	14MM A35P	1P	01 - 203514	Y3868	R116 Ed 8 Rev 4	CONFORMING	13/01/2022	
	AC	14MM AR450	N/A	01 - 181	Y3960	R116 Ed 8 Rev 4	CONFORMING	26/05/2022	
	AC	14MM basalt		01-137	Y2848	R116 Ed 8 Rev 4	CONFORMING	03/04/2023	Steel Furnace Slag Aggregates; Aggregate meets free lime content criteria
	AC	20MM AR450	1	01 - 204520SA	Y3966	R116 Ed 8 Rev 4	CONFORMING	25/03/2022	Contains sasobit warm-mix additive
	AC	20MM AR450	1	01 - 09113	Y3869	R116 Ed 8 Rev 4	CONFORMING	24/01/2022	
	AC	20MM AR450	2	09113_25	Y3787	R116 Ed 8 Rev 4	CONFORMING	02/09/2021	
	AC	20MM AR450	3	01 - 09113_30	Y3802	R116 Ed 8 Rev 4	CONDITIONAL	02/09/2021	Ongoing monitoring subject to requirements of RMS R116 for high RAP content asphalt mixes.
	AC	20MM A35P	1P	01 - 191302P	Y3744	R116 Ed 8 Rev 4	CONFORMING	28/07/2021	
	AC	20MM AR450	1	01 - 09113SA	Y3870	Not Available	CONFORMING	09/03/2022	Contains sasobit as a warm-mix additive
	AC	20MM AR450	1	01 - 204520	Y3873	R116 Ed 8 Rev 4	CONFORMING	24/01/2022	
	AC	20MM AR450		01 - 09113E	Y3871	Not Available	CONFORMING	09/03/2022	Contains evotherm as a warm-mix additive
	AC	28MM AR450		01 - 09114	Y3872	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC	28MM AR450	1	01 -204528	Y3448	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC	7MM AR450	N/A	01 - 204507	Y3841	Not Available	CONFORMING	27/01/2022	
	AC	7MM AR450	N/A	01 - 110	Y3838	Not Available	CONFORMING	27/01/2022	
	OG	10MM A15E	N/A	01 - 09067	Y3920	R119 Ed 1 Rev 2	CONFORMING	27/03/2022	
	OG	10MM A15E	N/A	01 - 201015	Y3931	R119 Ed 1 Rev 2	CONFORMING	27/03/2022	
	OG	10MM Cecabase		01-09067S	Y4063	Not Available	CONFORMING	27/01/2023	Slag Aggregate
	OG	10MM Samifal t A15E		01-09067S	Y4063	Not Available	CONFORMING	27/01/2023	Slag Aggregate
	RUB BER	10MM AR450	N/A	01 - 20CR10	Y3836	R118 Ed 1 Rev 1	CONFORMING	12/01/2022	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Prestons	RUB 14MM AR450 BER	N/A	01 - 0809CR	Y3728	R118 Ed 1 Rev 1	CONFORMING	25/07/2021	
	RUB 14MM AR450 BER	N/A	01 - 0809CRS	Y3729	R118 Ed 1 Rev 1	CONFORMING	21/07/2021	
	SMA 10MM Cecabase	N/A	01 - 018057	Y3934	R116 Ed 8 Rev 4	CONFORMING	18/05/2022	
	SMA 10MM A15E	N/A	01 - 018057	Y3934	R116 Ed 8 Rev 4	CONFORMING	18/05/2022	
St Marys	AC 10MM A15E	1PW	02 - 160810	Y3723	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
	AC 10MM AR450	1W	02 - 010810	Y3695	R116 Ed 8 Rev 4	CONFORMING	08/07/2021	
	AC 10MM AR450	1W	02 - 010810SA	Y3990	R116 Ed 8 Rev 4	CONFORMING	14/08/2022	Contains sasobit warm-mix additive
	AC 10MM AR450	N/A	02 - 100919	Y3766	R116 Ed 8 Rev 4	CONFORMING	12/07/2021	
	AC 14MM Samifal t A15E		2-190315	Y4079	Not Available	CONDITIONAL	28/01/2023	Slag Aggregate with A15E
	AC 14MM A15E	N/A	02 - 201514G_E	Y3971	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	contains 2.5 % crushed glass sand, contains evotherm warm-mix additive
	AC 14MM A15E	N/A	02 -201514G	Y3924	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	contains 2.5 % crushed glass sand
	AC 14MM AR450	N/A	02 - 204514G	Y3923	R116 Ed 8 Rev 4	CONFORMING	27/12/2021	contains 2.5 % crushed glass sand
	AC 14MM AR450	1W	02 - 010814SA	Y3993	R116 Ed 8 Rev 4	CONFORMING	11/08/2022	contains sasobit warm-mix additive
	AC 14MM AR450	N/A	02 - 140919	Y3743	R116 Ed 8 Rev 4	CONFORMING	14/07/2021	
	AC 14MM A15E	1PW	02 - 201415GM	Y3932	R116 Ed 8 Rev 4	CONFORMING	17/03/2022	
	AC 14MM basalt		2-190315	Y4079	Not Available	CONDITIONAL	28/01/2023	Slag Aggregate with A15E
	AC 14MM A15E	N/A	02 - 201514G_SA	Y3970	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	contains 2.5 % crushed glass sand, sasobit warm-mix additive
	AC 14MM A15E	1PW	02 - 201415GM_SA	Y3967	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	Contains sasobit warm-mix additive
	AC 20MM AR450	N/A	02 - 091620G	Y3847	Not Available	CONFORMING	23/08/2021	Contains recycled crushed glass sand (10 % by mass)
	AC 20MM AR450	N/A	02 - 072018G	Y4036	R116 Ed 8 Rev 4	CONFORMING	20/10/2022	
	AC 20MM AR450	N/A	02 - 091620G	Y3959	R116 Ed 8 Rev 4	CONFORMING	23/08/2021	
	AC 20MM AR450		02 - 091620G_SA	Y3991	R116 Ed 8 Rev 4	CONFORMING	07/08/2022	Contains recycled crushed glass sand (10 % by mass), sasobit warm-mix additive
	AC 20MM AR450	2	02 - 010820_25	Y3919	R116 Ed 8 Rev 4	CONFORMING	11/03/2022	
AC 20MM AR450	1	02 - 010820SA	Y3992	R116 Ed 8 Rev 4	CONFORMING	08/08/2022	contains sasobit warm-mix additive	
AC 20MM AR450	1	02 - 010820	Y3727	Not Available	CONFORMING	05/08/2021		



Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
St Marys	AC 28MM AR450	1	02 - 181106G	Y4035	R116 Ed 8 Rev 4	CONFORMING	15/09/2022	
	EME 14MM 15/25		02-2014EMEP2	Y4127	Not Available	CONFORMING	11/09/2022	
	OG 10MM A15E	N/A	02 - 19126	Y3835	R119 Ed 1 Rev 2	CONFORMING	29/11/2021	
	OG 10MM A15E	N/A	02 - 19126SA	Y3968	R119 Ed 1 Rev 2	CONFORMING	03/07/2022	Contains sasobit warm-mix additive
	OG 10MM A15E	N/A	02 - 19126	Y3806	R119 Ed 1 Rev 2	CONFORMING	29/11/2021	
	OG 14MM Samifal t A15E		02-1415G_OG	Y4060	Not Available	CONFORMING	13/12/2022	
	OG 14MM Cecabase		02-1415G_OG	Y4060	Not Available	CONFORMING	13/12/2022	
	RUB 14MM AR450 BER	N/A	02 - 019CRG	Y3754	R118 Ed 1 Rev 1	CONFORMING	23/08/2021	
	SMA 10MM A15E	N/A	02 - 018057G	Y4034	R121 Ed 3 Rev 2	CONFORMING	18/10/2022	

The submitted constituent materials, asphalt production tolerances and plant production trial results, have been assessed against conformance criteria of TfNSW Specification R116 Edition 8 Revision 4 and Panel Contract 18.0000302746.0358.

**STATUS SUMMARY:**

APPROVED: The Mix Submission satisfies all submission criteria, and recommend Release of Hold Point for the nominated mix.  
SUBMITTED: The Mix Submission has been received by TfNSW Yennora and is awaiting further processing in AQS.  
PENDING: The Mix Submission has been processed into AQS and is awaiting additional information or confirmation of data from the Asphalt Producer.  
CONDITIONAL: The Mix Submission has been approved subject to certain conditions.  
FAILED: The Mix Submission has failed the quality requirements for the Panel Contract.