

## 10. References

- Australian Research Centre for Urban Ecology (ARCUE) 2012. *Hume Highway duplication threatened species (Squirrel Glider) monitoring report: spring 2011*. Unpublished report prepared for NSW Roads and Maritime Services by the Australian Research Centre for Urban Ecology, Melbourne.
- Australian Research Centre for Urban Ecology (ARCUE) (2013). *Realignment of the Olympic Highway at Kapooka. Targeted Squirrel Glider surveys, autumn 2013*. Report prepared for the NSW Roads and Maritime Services.
- Burrows, G.E. (2001). An assessment of the conservation status of *Senecio garlandii*, in the Central and South Western Slopes, New South Wales', *Cunninghamia*, vol. 7, no. 1, pp. 65-76.
- Cameron, M. (2006). Nesting habitat of the Glossy Black-Cockatoo in central New South Wales. *Biological Conservation* 127: 402-410.
- Cameron, M. and Cunningham, R.B. (2006). Habitat selection at multiple spatial scales by foraging Glossy Black-Cockatoos. *Austral Ecology*, 31: 597-607.
- Churchill, S. (2009). *Australian Bats* 2nd Ed. Jacana Books: Crows Nest NSW.
- Crowley, G.M. and Garnett, S.T. (2001). Food value and tree selection by glossy black-cockatoos *Calyptorhynchus lathami*. *Austral Ecology*, 26: 116-126.
- Charles Sturt University (CSU) (2005). *Survey of the Squirrel Glider in the Kapooka Military Area for the Department of Defence*. Prepared by The Johnstone Centre - Environmental Consulting, Charles Sturt University.
- Charles Sturt University (CSU) (2006). *Research and monitoring stage 2, 2005/2006. Superb Parrot in the Kapooka Military Area and Wagga Wagga Local Government Area*. Report prepared by Johnstone Centre - Environmental Consulting, Charles Sturt University for Department of Defence.
- Debus, S. J. S. (1997). The Barking Owl in New South Wales. *Australian Birds* 30: 53-80.
- Debus, S.J. and Ley, A J. (2009). Aspects of the breeding cycle of the Little Eagle *Hieraaetus morphnoides*. *Australian Field Ornithology* 26:76-99.
- Department of the Environment (DoE) (2008). Approved Conservation Advice for *Senecio garlandii* (Woolly Ragwort) under s266B of the *Environment Protection and Biodiversity Conservation Act 1999*.
- Department of Environment and Climate Change (DECC) (2008). *Vegetation Benchmarks Database*. Department of Environment and Climate Change, Sydney.
- Department of Environment and Climate Change (DECC) (2009). *BioBanking Assessment Methodology and Credit Calculator Operation Manual*. State of NSW and Department of Environment and Climate Change, Sydney.
- Department of Environment, Climate Change and Water (DECCW) (2010), *National recovery plan White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grassland*. Department of Environment, Climate Change and Water NSW, Sydney.
- Department of Environment and Conservation (DEC) (2004). *Threatened Biodiversity Survey and Assessment: Guidelines for Developments and Activities – Working Draft*. Department of Environment and Conservation, November 2004.

Department of Environment and Conservation (DEC) (2006). *NSW Recovery Plan for the Large Forest Owls: Powerful Owl (Ninox strenua), Sooty Owl (Tyto tenebricosa) and Masked Owl (Tyto novaehollandiae)*, DEC, Sydney.

Department of Environment, Water, Heritage and the Arts (DEWHA) (2010). *Survey Guidelines for Australia's threatened bats: Guidelines for detecting bats listed as threatened under the Environment Protection and Biodiversity Conservation Act 1999*. Australian Government-Department of Environment, Water, Heritage and the Arts: Canberra.

Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC) (2012), EPBC Act Environmental Offsets Policy, DSEWPaC, Canberra

Durant, R., Luck, G. W. and Matthews, A. (2009). Nest box use by arboreal mammals in a peri-urban landscape. *Wildlife Research*, **36** (7) 565–573.

Ford, H.A., Noske, S. and Bridges, L. (1986). Foraging of birds in eucalypt woodlands in north-eastern New South Wales. *Emu* 86, 168-179.

GHD (2013). Box-Gum Woodland and hollow-bearing trees, Species Impact Statement specialist report. Report prepared for Roads and Maritime Services, September 2013.

GHD (2012a). *Draft ecological assessment for the proposed Kapooka bridge replacement*. Draft report prepared for Roads and Maritime Services, November 2012.

GHD (2012b) Draft Review of Environmental Factors for the realignment of the Olympic Highway at Kapooka including new road-over-rail bridge. Draft report prepared for Roads and Maritime Services, October 2012.

Gration, R. (2007a). *Bat Activity report for the proposed Drysdale Wind Farm*. Wind Farm Developments Pty Ltd.

Gration, R. (2007b). *Bat Activity report for the proposed Woolsthorpe Wind Farm*. Wind Farm Developments Pty Ltd.

Higgins, P.J. (ed.) (1999). *Handbook of Australian, New Zealand and Antarctic Birds. Volume Four - Parrots to Dollarbird*. Melbourne: Oxford University Press.

Lumsden, L.F., Bennett, A.F. and Silins, J.E.(2002a). Location of roosts of the lesser long-eared bat (*Nyctophilus geoffroyi*) and Gould's wattled bat (*Chalinolobus gouldii*) in a fragmented landscape in south-eastern Australia. *Biological Conservation* 106: 237-249.

Lumsden, L.F., Bennett, A.F. and Silins, J.E. (2002b). Selection of roost sites by the lesser long-eared bat (*Nyctophilus geoffroyi*) and Gould's wattled bat (*Chalinolobus gouldii*) in south-eastern Australia. *Journal of Zoology*, London 257: 207-218.

Manning, A., Lindenmayer, D., Barry, S. et al (2006). Multi scale site and landscape effects on the vulnerable Superb Parrot of south eastern Australia during the breeding season. *Landscape Ecology*, vol. 31, pp. 1119-1133.

Menkhorst, P. and Knight, F. (2011). *A Field Guide to the Mammals of Australia*. 3rd Ed. Oxford University Press: Melbourne.

National Parks and Wildlife Service (NPWS) (2003). *Draft Recovery Plan for the Barking Owl*. New South Wales National Parks and Wildlife Service, Hurstville, NSW.

ngnvironmental (2011). *Environmental Constraints Analysis: Kapooka Bridge Replacement*. Report prepared for NSW Roads and Traffic Authority

ngnvironmental (2013a). *Woodland Bird Component for Species Impact Statement Realignment of the Olympic Highway at Kapooka woodland bird surveys – winter*. Draft report prepared by ngnvironemntal for Roads and Maritime, September 2013.

- nghenvronmental (2013b). *Woodland Bird Component for Species Impact Statement Realignment of the Olympic Highway at Kapooka woodland bird surveys – spring*. Draft report prepared by nghenvronemntal for Roads and Maritime, November 2013.
- OEH (2013a). *Threatened Species: Species, Populations and Ecological Communities of NSW*. NSW Office of the Environment and Heritage, online database, accessed August 2013, URL: <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/index.aspx>.
- OEH (2013b). *Vegetation Information System*, online database, accessed August 2013, URL: <http://www.environment.nsw.gov.au/research/VegetationInformationSystem.htm>.
- Priday, S. and Mulvaney, M. (2005). *The native vegetation and threatened species of the city of Wagga Wagga*. Department of Environment and Conservation, Queanbeyan, NSW.
- Roads and Maritime Services (RMS) (2011). *Guideline for biodiversity offsets*. Roads and Maritime Services. Sydney.
- Roads and Traffic Authority (RTA) (2011a). *Biodiversity Guidelines: Protecting and managing biodiversity on RTA projects*. Revision 0, September 2011.
- Roads and Traffic Authority (RTA) (2011b). *Kapooka bridge preferred option report*. October 2011.
- Saunders, D.L. and Tzaros, C.L. (2011). *National Recovery Plan for the Swift Parrot Lathamus discolor*, Birds Australia, Melbourne.
- SKM (2011). *Hume Highway upgrade – Woomargama Bypass. Woodland bird monitoring program*. Unpublished report to NSW Roads and Traffic Authority.
- Soanes, K., M. Carmody, L. et al. (2013). Movement re-established but not restored: inferring the effectiveness of road crossing mitigation for a gliding mammal by monitoring use. *Biological Conservation* **159**: 434 - 441.
- Taylor, I. R., Kirsten, I. and Peake, P. (2002). Habitat, breeding and conservation of the Barking Owls (*Ninox connivens*) in northeastern Victoria, Australia. pp. 116-124 in Newton I, Kavanagh R, Olsen J and Taylor I (eds.), *Ecology and Conservation of Owls*. CSIRO Publishing, Collingwood.
- van der Ree, R. (2002). The population ecology of the Squirrel Glider *Petaurus norfolcensis*, within a network of remnant linear habitats. *Wildlife Research*, **29**(4): 329-340.
- van der Ree, R. and Bennett, A.F. (2003). Home range of the Squirrel Glider *Petaurus norfolcensis* in a network of linear habitats. *Journal of Zoology* (London) **259**: 327-336.
- van der Ree, R. (2006). Road upgrade in Victoria a filter to the movement of the endangered Squirrel Glider *Petaurus norfolcensis*: Results of a pilot study. *Ecological Management and Restoration* **7**: 226-228.
- van der Ree, R., Cesarini, S. et al. (2010). Large gaps in canopy reduce road crossing by a gliding mammal. *Ecology and Society* **15**(4): 35.
- Webster, R. (1988). *The Superb Parrot - A survey of the breeding distribution and habitat requirements*. Australian National Parks and Wildlife Service, Canberra; Report Series No. 12.
- Webster, R. and Ahern, L. (1992). *Management for the conservation of the Superb Parrot Polytelis swainsonii in New South Wales and Victoria*. Report to New South Wales National Parks and Wildlife Service and Department of Conservation and Natural Resources.
- WSP (2013), *Realignment of the Olympic Highway at Kapooka – Microbat survey report*. Report prepared for the NSW Roads and Maritime Services.